



## Trust Maxo 65W USB-C GaN Charger - Black EU

Compact 65W USB-C GaN charger for fast and easy charging

Article number: 26336  
Barcode: 8713439263367  
GTIN: 08713439263367

### Core content

Brand	Trust
Product type	65W USB-C GaN Charger
Colour	Black
Plug country code	EU
Key features	<ul style="list-style-type: none"><li>- 65W USB-C port to help you charge up quickly and easily*</li><li>- GaN technology allows for high power output in an ultra-small form</li><li>- Sustainable design made with 50% recycled plastics for a reduced environmental impact</li><li>- Charge any smartphone, tablet or laptop** with a USB-C connection</li><li>- Safe charging: protects against overload, short-circuiting and overheating</li><li>- Ideal travel charger: works with all wall power socket voltages worldwide (90-240V AC 60/50Hz)</li><li>- *Charging speed varies between devices</li><li>- **Please check your laptop specs for compatibility</li></ul>
Package contents	<ul style="list-style-type: none"><li>- USB-C charger</li><li>- User Guide</li></ul>
System requirements	<ul style="list-style-type: none"><li>- USB-C charge cable</li><li>- Wall power</li></ul>

### Specifications

Plastic material	ABS/PC
Sustainability method	PCR

<b>Total weight</b>	180 g
<b>Weight of main unit</b>	140 g
<b>Height of main product (in mm)</b>	97 mm
<b>Width of main product (in mm)</b>	63 mm
<b>Depth of main product (in mm)</b>	30 mm
<b>Number of USB ports</b>	1
<b>Accessories</b>	USB-C charge cable
<b>Cables included</b>	No
<b>Protections</b>	over-heat over-load short-circuit
<b>Power plug type</b>	EU
<b>Power source</b>	wall socket
<b>Charging technology</b>	USB PD 3.0 + PPS
<b>Output voltage</b>	5 9 15 20
<b>Voltage setting</b>	automatic
<b>Total max output power (W)</b>	65 Watt
<b>Laptop voltage range</b>	3 - 20 V
<b>Compatible Device Types</b>	smartphone tablet laptop

## Main image



**26336\_pictures\_product\_visual\_1.tif**

ImageWidth: 5.000 px

ImageHeight: 5.000 px

ImageResolution: 300 dpi

## Additional Product Images



**26336\_pictures\_product\_visual\_3.tif**

ImageWidth: 5.000 px

ImageHeight: 5.000 px

ImageResolution: 300 dpi



**26336\_pictures\_product\_visual\_2.tif**

ImageWidth: 5.000 px

ImageHeight: 5.000 px

ImageResolution: 300 dpi



**26336\_pictures\_product\_top\_1.tif**

ImageWidth: 5.000 px

ImageHeight: 5.000 px

ImageResolution: 300 dpi



**26336\_pictures\_product\_front\_1.tif**

ImageWidth: 5.000 px

ImageHeight: 5.000 px

ImageResolution: 300 dpi



**26336\_pictures\_product\_side\_1.tif**

ImageWidth: 5.000 px

ImageHeight: 5.000 px

ImageResolution: 300 dpi

## Product Pictorials



**26336\_EN\_pictures\_product\_pictorial\_1.tif**

ImageWidth: 4.000 px

ImageHeight: 4.000 px

ImageResolution: 300 dpi



**26336\_EN\_pictures\_product\_pictorial\_2.tif**

ImageWidth: 4.000 px

ImageHeight: 4.000 px

ImageResolution: 300 dpi



**26336\_EN\_pictures\_product\_pictorial\_3.tif**

ImageWidth: 4.000 px

ImageHeight: 4.000 px

ImageResolution: 300 dpi



**26336\_EN\_pictures\_product\_pictorial\_4.tif**

ImageWidth: 4.000 px

ImageHeight: 4.000 px

ImageResolution: 300 dpi



**26336\_EN\_pictures\_product\_pictorial\_5.tif**

ImageWidth: 4.000 px

ImageHeight: 4.000 px

ImageResolution: 300 dpi



**26336\_EN\_pictures\_product\_pictorial\_6.tif**

ImageWidth: 4.000 px

ImageHeight: 4.000 px

ImageResolution: 300 dpi

## Package Images



**26336\_pictures\_package\_visual\_1.tif**

ImageWidth: 5.000 px

ImageHeight: 5.000 px

ImageResolution: 300 dpi



**26336\_pictures\_package\_front\_1.tif**

ImageWidth: 1.510 px

ImageHeight: 1.996 px

ImageResolution: 300 dpi

---