



KlikAanKlikUit AEX-701 Wireless signal repeater - White NL

Extends wireless transmission range of the transmitter up to 30 meters

Article number: 70029

Barcode: 8713439000320

GTIN: 08713439000320

Core content

Brand	KlikAanKlikUit
Product line	Start line
Product type	Wireless signal repeater
Colour	White
Plug country code	NL
Key features	- Can be placed anywhere indoor and outdoor - Can extend the range of up to 6 transmission codes - Long battery life (battery not included)
Package contents	- Wireless signal repeater - Manual
System requirements	- Two AA alkaline batteries - Trust Smart Home transmitter - Trust Smart Home receiver

Marketing

Extended retailer text	The wireless signal repeater increases the wireless transmission range of Trust Switch-in transmitters up to 30 metres. - Can be placed anywhere indoors and outdoors - Can increase the range of up to 6 transmit codes
------------------------	---

- Works on batteries

The AEX-701 wireless signal amplifier or repeater repeats the signal of a Trust Switch-in transmitter, allowing you to increase the transmission range by up to 30 metres. Ideal to reach a receiver located at the back of the garden. You can place the amplifier anywhere, both indoors and outdoors (IP56), without the hassle of installation wires. This is because the transmitter works on batteries.

If you notice that a certain transmission code of, for example, your Trust Switch-in remote control does not always control the linked receiver then you can use this signal amplifier to ensure that the receiver can be operated as desired. You report the relevant transmission code of the remote control to the signal amplifier. Every time you send the corresponding on or off signal with the remote control, the signal amplifier will pick up this transmission code and send it again.

In total, you can register up to six transmit codes per AEX-701 signal amplifier. If you want to repeat more than six transmit codes, you need to choose multiple repeaters. It is not possible to register one transmit code with multiple repeaters.

The AEX-701 can be combined with all Trust Switch-in transmitters with the automatic code system (product code starts with an A, like AYCT-102, ATMT-502, etc.). This way you can also increase the transmission range of the Smart Bridge . This transmitter uses radio frequency 433.92 Mhz technology. The signal passes through walls, windows and doors, with a range of up to 30 metres.

From smart solutions to a Smart Home

With the Smart Bridge you lay the foundation for your smart home. Link all your Trust Switch-in products to the Smart Bridge and operate everything - from lighting to electric curtains - with your smartphone or tablet. Or set your own timers, rules and scenes to fully automate your system. For example, the lights go on at night when you're on holiday and the boiler is switched off when the CO detector detects a carbon monoxide leak.

Specifications

Total weight	172 g
---------------------	-------

Weight of main unit	91 g
----------------------------	------

Height of main product (in mm)	100 mm
---------------------------------------	--------

Width of main product (in mm)	100 mm
--------------------------------------	--------

Depth of main product (in mm)	38 mm
--------------------------------------	-------

Main image



71029_pictures_product_visual_1.png
ImageWidth: 2.500 px
ImageHeight: 2.500 px
ImageResolution: 300 dpi

Additional Product Images



71029_pictures_product_front_1.tif
ImageWidth: 2.500 px
ImageHeight: 2.500 px
ImageResolution: 300 dpi



71029_pictures_product_back_1.tif
ImageWidth: 2.500 px
ImageHeight: 2.500 px
ImageResolution: 300 dpi



71029_pictures_product_front_1.png
ImageWidth: 2.500 px
ImageHeight: 2.500 px
ImageResolution: 300 dpi



71029_pictures_product_back_1.png
ImageWidth: 2.500 px
ImageHeight: 2.500 px
ImageResolution: 300 dpi

Product Pictorials



71029_EN_pictures_product_pictorial_1.tiff

ImageWidth: 6.945 px

ImageHeight: 6.945 px

ImageResolution: 200 dpi

Package Images



71029_pictures_package_front_1.tif

ImageWidth: 1.900 px

ImageHeight: 1.785 px

ImageResolution: 300 dpi



71029_pictures_package_visual_1.tif

ImageWidth: 2.500 px

ImageHeight: 2.500 px

ImageResolution: 300 dpi