



## KlikAanKlikUit AYCT-102 Remote control - White NL

Remote control with 16 channels for wireless control of one or multiple lights/devices

Article number: 70056

Barcode: 8713439700565

GTIN: 08713439700565

### Core content

<b>Brand</b>	KlikAanKlikUit
<b>Product line</b>	Start line
<b>Product type</b>	Remote control
<b>Colour</b>	White
<b>Plug country code</b>	NL
<b>Key features</b>	- Control up to 16 lights/devices independently - Control multiple lights/devices with one button - Long battery life (battery included) - Transmission range up to 30 meters
<b>Package contents</b>	- Remote control with battery included (CR2032) - Manual
<b>System requirements</b>	- Trust Smart Home receiver

### Marketing

<b>Extended retailer text</b>	<p>One remote control for everything</p> <p>This remote control has 16 channels. This means that you can control 16 receivers independently. Think, for example, of your lighting (with the build-in ACM-250 dimmer), electrical appliances (in combination with the socket switch ACC-2300) and shutters and blinds (in combination with the sunblinds switch ASUN-650). In</p>
-------------------------------	--

addition, this remote control is also ideal for switching off all the lights in the bedroom from bed or switching on the garden lights from the living room in one go. Enjoy full control with just one device.

From clever solutions to a Smart Home

With the Smart Bridge you lay the foundation for your smart home (and garden). Link all your Trust Switch-in products to the Bridge and operate everything - from lighting to electric curtains - using your smartphone or tablet. Or set your own timers, rules and scenes to fully automate your system. For example, the (garden) lights go on at night when you're on holiday and the central heating boiler is switched off when the CO detector detects a carbon monoxide leak.

## Specifications

<b>Total weight</b>	97 g
<b>Weight of main unit</b>	50 g
<b>Height of main product (in mm)</b>	16 mm
<b>Width of main product (in mm)</b>	34 mm
<b>Depth of main product (in mm)</b>	130 mm
<b>Controller type</b>	remote
<b>Controls</b>	on off
<b>Dimming control type</b>	dim loop
<b>Indicators</b>	Activity
<b>LCD display</b>	No
<b>Input voltage of main device</b>	3 V
<b>Number of control channels</b>	16
<b>Wireless range</b>	30 m

**Code system** Automatic

---

**Start Line Product type** transmitter

---

**Batteries included** Yes

---

**Battery life (months)** 12 month

---

**Battery type (AA, AAA, etc.)** CR2032

---

**Number of batteries** 1

---

**Rechargeable battery** No

---

**Wireless transmission power (dBm)** 2,0 dBm

---

**Power source** battery

---

**Compatible Product Lines** Start Line

---

## Main image

---



**70056\_pictures\_product\_visual\_1.tif**

ImageWidth: 2.500 px

ImageHeight: 2.500 px

ImageResolution: 300 dpi

---

## Additional Product Images

---



**70056\_pictures\_product\_front\_1.tif**

ImageWidth: 2.500 px

ImageHeight: 2.500 px

ImageResolution: 300 dpi

---



**70056\_pictures\_product\_back\_1.tif**

ImageWidth: 2.500 px

ImageHeight: 2.500 px

ImageResolution: 300 dpi

---

## Product Pictorials

---



**71001\_EN\_pictures\_product\_pictorial\_1.tif**

ImageWidth: 6.945 px

ImageHeight: 6.945 px

ImageResolution: 200 dpi

---