



Trust Smart Home ABST-604 Wireless dusk/dawn sensor - White ML

Wireless dusk/dawn sensor to automatically switch lights/devices when sun sets or rises

Article number: 71034

Barcode: 8713439710342

GTIN: 08713439710342

Core content

Brand	Trust Smart Home
Product line	Start line
Product type	Wireless dusk/dawn sensor
Colour	White
Plug country code	ML
Key features	- Can be placed anywhere indoor and outdoor - Lights and devices can be switched off automatically after 2 to 8 hours or when it gets light again - Long battery life (battery not included) - Transmission range up to 30 meters
Package contents	- Wireless dusk/dawn sensor - Screws and double sided tape - Manual
System requirements	- Two AAA alkaline batteries - Trust Smart Home receiver

Marketing

Extended retailer text	Turn off your lights and appliances at sunset or sunrise with the wireless dusk/dawn sensor. The dusk/dawn sensor works like a timer, but instead of time it takes into account the amount of light. Ideal for automating table lamps or garden lighting, for example.
------------------------	--

- Wireless: can be placed anywhere indoors and outdoors
- Lights and devices can be switched off automatically after 2 to 8 hours or when it gets light again
- Transmission range up to 30 metres

Do you want to automate your devices, such as lighting, for when it gets dark or light? With the help of the wireless twilight sensor, you no longer have to worry about your (garden) lighting. As soon as it starts to get dark, your lights will switch on automatically.

Choose your own twilight position

You decide for yourself how dark it has to be before your lamps are switched on. During installation, press the button on the back of the sensor when the desired twilight setting is reached (i.e. when you want your lights to go on) and the sensor will remember this setting.

Easy installation

The wireless twilight sensor can be placed both indoors and outdoors. The sensor of your Trust Switch-in system is automatically activated when it gets dark. After a preset time, or when the lights go on, the sensor automatically switches off your receivers.

Upgrade your system

The ABST-604 can be used in combination with Start-line receivers, such as a socket switch or a build-in switch. The signal passes through walls, windows and doors, with a range of 30 metres indoors.

From smart solutions to a Smart Home

With the Smart bridge you lay the foundation for your smart home (and garden). Link all your Trust Switch-in products to the Bridge and operate everything - from lighting to electric curtains - with your smartphone or tablet. Or set your own timers, rules and scenes to fully automate your system. For example, the (garden) lights go on at night when you are on holiday and the central heating boiler is switched off when the CO detector detects a carbon monoxide leak.

Specifications

Total weight	97 g
Weight of main unit	37 g
Height of main product (in mm)	87 mm
Width of main product (in mm)	59 mm

Depth of main product (in mm)	27 mm
Application	Outdoor
Anti tamper system	no
Compatible Product Lines	Start Line

Main image



71034_pictures_product_visual_1.tif

ImageWidth: 2.500 px

ImageHeight: 2.500 px

ImageResolution: 300 dpi

Additional Product Images



71034_pictures_product_front_1.tif

ImageWidth: 2.500 px

ImageHeight: 2.500 px

ImageResolution: 300 dpi



71034_pictures_product_back_1.tif

ImageWidth: 2.500 px

ImageHeight: 2.500 px

ImageResolution: 300 dpi

Product Pictorials



71034_EN_pictures_product_pictorial_2.tif

ImageWidth: 6.945 px

ImageHeight: 6.945 px

ImageResolution: 200 dpi



71034_EN_pictures_product_pictorial_3.tiff

ImageWidth: 6.945 px
ImageHeight: 6.945 px
ImageResolution: 200 dpi



71034_EN_pictures_product_pictorial_1.tiff

ImageWidth: 6.945 px
ImageHeight: 6.945 px
ImageResolution: 200 dpi

Package Images



71034_pictures_package_front_1.tif

ImageWidth: 1.900 px
ImageHeight: 1.785 px
ImageResolution: 300 dpi



71034_pictures_package_visual_1.tif

ImageWidth: 2.500 px
ImageHeight: 2.500 px
ImageResolution: 300 dpi