



Trust Smart Home ACM-250-LD Build-in dimmer - White ML

Switch and dim your existing lights remotely, keeping the existing wall switches working.

Article number: 71213
Barcode: 8713439712131
GTIN: 08713439712131

Core content

Brand	Trust Smart Home
Product line	Start line
Product type	Build-in dimmer
Colour	White
Plug country code	ML
Key features	- Suitable for all types of dimmable lighting - Existing wall switches remain functional - Also works in an existing hotel switch (e.g. at the top and bottom of a staircase) - Choice between two specific dimming modes (phase on and phase off), so that it can dim any dimmable light nicely. - Compact design; easy to install 'invisibly' in the ceiling or junction box - Dimming memory: remembers last dimming setting - High performance; dims LED from 3-50W, hallogen lighting up to 250W - Combine with all transmitters in the range, for example the AWST-9000 wireless wall switch, to easily create a hotel circuit - Combine with the Smart Bridge to operate and automate the dimmer with your smartphone.
Package contents	- Build-in LED dimmer - Manual
System requirements	- Trust Smart Home transmitter - Dimmable LED/Incandescent/Halogen light* * A good quality dimmable light is advised for proper, noise-free operation

Marketing

Extended retailer text

Make all your lights smart

The pendant lamp over the dining table or the ceiling light in your home office: whatever light you have, the build-in dimmer makes it remotely dimmable in a flash. Install the dimmer behind the ceiling tile or ceiling light and use a Switch-in transmitter of your choice to control your light remotely.

Control it your way!

The build-in dimmer can be controlled with any Trust Switch-in transmitter, such as remote control or the wireless rotary dim button. Or connect the dimmer to the free Trust Switch-in app (via the Smart Bridge) and control your lights with your smartphone, even when you're not at home.

Retain your existing wall switches

We understand that you prefer to keep your existing wall switches. With the ACM-250 build-in dimmer, your existing wall switches will continue to do their job. You can even connect up to two existing wall switches, such as at the top/bottom of a staircase.

Expand easily

With Trust Switch-in the possibilities are (almost) endless. Would you like to link several transmitters? No problem at all. For example, combine a wireless rotary dim button with a remote control to control your lights from multiple locations. Even when using multiple transmitters, the dimmer remembers the last dim setting you selected.

From clever solutions to a Smart Home

With the Smart Bridge you lay the foundation for your smart home (and garden). Link all your Trust Switch-in products to the Bridge and operate everything - from lighting to electric curtains - using your smartphone or tablet. Or set your own timers, rules and scenes to fully automate your system. For example, the (garden) lights go on at night when you're on holiday and the central heating boiler is switched off when the CO detector detects a carbon monoxide leak.

Specifications

Total weight	193 g
Weight of main unit	79 g
Height of main product (in mm)	45 mm
Width of main product (in mm)	40 mm
Depth of main product (in mm)	15,2 mm
Controls	lights on/off

Indicators	Power
Input frequency of main device	50 Hz
Input voltage of main device	230 V
Standby power	1 W
Max number of transmitters suppo...	32
Dimming modulation	leading-edge trailing-edge
Intended installation	build-in
Number of traditional wall switc...	2
Possible to connect traditional ...	true
Required electrical power wires	220V Null
Supports stairwell circuit	true
Wireless range	40 m
Cables included	No
Code system	Automatic
Start Line Product type	receiver
Max power per supported lamp/dev...	20-250W Resistive load 3-50W Dimmable ESL/LED
Output voltage	230
Power output	true
Total max output power (W)	250 Watt

Power adapter included false

Compatible Product Lines Start Line

Main image



71213_pictures_product_visual_1.png

ImageWidth: 2.500 px

ImageHeight: 2.500 px

ImageResolution: 300 dpi

Additional Product Images



71213_pictures_product_top_1.png

ImageWidth: 2.500 px

ImageHeight: 2.500 px

ImageResolution: 300 dpi



71213_pictures_product_side_1.png

ImageWidth: 2.500 px

ImageHeight: 2.500 px

ImageResolution: 300 dpi

Product Pictorials




71213_EN_pictures_product_pictorial_1.tiff

ImageWidth: 6.945 px

ImageHeight: 6.945 px

ImageResolution: 200 dpi

Package Images



71213_pictures_package_front_1.tif

ImageWidth: 0 px

ImageHeight: 0 px

ImageResolution: 0 dpi



71213_pictures_package_visual_1.tif

ImageWidth: 2.500 px

ImageHeight: 2.500 px

ImageResolution: 300 dpi
