



Trust Smart Home AWRT-1000 Wireless rotary dimmer - White ML

Dim your Switch-in build-in and socket dimmers wirelessly from anywhere in your home

Article number: 71236
Barcode: 8713439712360
GTIN: 08713439712360

Core content

Brand	Trust Smart Home
Product line	Start line
Product type	Wireless rotary dimmer
Colour	White
Plug country code	ML
Key features	<ul style="list-style-type: none"> - Convenient dimming by rotating the dial or press to switch your lights - Can easily be placed anywhere indoor with included double sided tape and/or screws - Compact and modern design - Long battery life (battery included) - Battery low indication - Transmission range up to 30 meters
Package contents	- Rotary dimmer with battery included (CR2032) - Mounting materials - Manual
System requirements	- Trust Smart Home receiver

Marketing

Extended retailer text	<p>The easiest way to dim</p> <p>Looking for a wireless rotary switch to dim your lights from anywhere? With the AWRT-1000 you can switch and dim your lights anywhere in your home. The wireless rotary switch works with all Trust Switch-in dimmers, such</p>
-------------------------------	--

as the ACM-250-LD build-in LED dimmer and the ACC-250-LD socket dimmer. From now on it is possible to dim hanging lamps, ceiling lamps and wired lamps - for example desk lamps - wirelessly.

Remember your dimmer setting

The dimmers of Trust Switch-in make use of dim memory. If you switch a lamp off and on again, it will immediately switch to the old dimming setting. This way you don't have to set your ideal dimmer setting over and over again.

From clever solutions to a Smart Home

With the Smart Bridge you lay the foundation for your smart home (and garden). Link all your Trust Switch-in products to the Bridge and operate everything - from lighting to electric curtains - using your smartphone or tablet. Or set your own timers, rules and scenes to fully automate your system. For example, the (garden) lights go on at night when you're on holiday and the central heating boiler is switched off when the CO detector detects a carbon monoxide leak.

Specifications

Weight of main unit	60 g
Height of main product (in mm)	25 mm
Width of main product (in mm)	80 mm
Depth of main product (in mm)	80 mm
Controller type	wall
Controls	dim lights on/off
Dimming control type	continuous dimming
LCD display	No
Compatible Product Lines	Start Line

Main image



71236_pictures_product_visual_1.tif

ImageWidth: 2.500 px

ImageHeight: 2.500 px

ImageResolution: 300 dpi

Additional Product Images



71236_pictures_product_front_1.tif

ImageWidth: 2.500 px

ImageHeight: 2.500 px

ImageResolution: 300 dpi



71236_pictures_product_back_1.tif

ImageWidth: 2.500 px

ImageHeight: 2.500 px

ImageResolution: 300 dpi

Product Pictorials



71236_EN_pictures_product_pictorial_1.tif

ImageWidth: 6.945 px

ImageHeight: 6.945 px

ImageResolution: 200 dpi



71236_EN_pictures_product_pictorial_2.tif

ImageWidth: 6.945 px

ImageHeight: 6.945 px

ImageResolution: 200 dpi



71236_EN_pictures_product_pictorial_3.tif

ImageWidth: 6.945 px

ImageHeight: 6.945 px

ImageResolution: 200 dpi